

NRL


National Radiation Laboratory

**National
Radiation
Laboratory
Bibliography of
Publications
1986 - 2000**

Ursula Ryan

National Radiation Laboratory Bibliography of Publications 1986 - 2000

Ursula Ryan



NRL

National Radiation Laboratory

National Radiation Laboratory
Ministry of Health
PO Box 25099, Christchurch, New Zealand

© NRL, 2001

ISSN 1174-6483 (Print)
ISSN 1179-2817 (Online)

National Radiation Laboratory Web site: <http://www.nrl.moh.govt.nz>



Contents

Alphabetical listing by author	1
(This section includes all publications in this bibliography with named authors. In this listing cross references are made to co-authored papers and reports for NRL authors only.)	
NRL reports	20
Codes of safe practice	24
Guidance notes	24
Environmental radioactivity: annual reports.....	25
Information sheets.....	26
Radiation protection news and notes	27
The Source	27
NRL Matters.....	27
Other publications	28
Software.....	28

This bibliography lists publications by National Radiation Laboratory (NRL) staff between 1986-2000.

It continues NRL report 1986/2, which listed publications up until 1985. It supersedes NRL report 1991/2 (publications 1986-1990).

Basher L R and Matthews K M

Relationship between ¹³⁷Cs in some undisturbed New Zealand soils and rainfall.
Australian journal of soil research 31:655-663, 1993.

Basher L R, Matthews K M and Zhi L

Surface erosion assessment in the South Canterbury Downlands, New Zealand using ¹³⁷Cs distribution.
Australian journal of soil research 33:787-803, 1995.

Budhia D M

See

NRL report 1988/8

Recommended methods for disposal of tannery wastes.

Cartwright P H

Cartwright P H

Radiation protection in veterinary radiography.
Vetscript 5(8):6-7, 1992.

See also

NRL report 1993/1

Radiation doses to patients in medical diagnostic x-ray examinations in New Zealand: a 1983-84 survey.

NRL report 1996/3

Patient doses in chiropractic radiography in New Zealand.

Chapman R H

Chapman R H

A survey of output calibrations of ultrasound therapy equipment used in physiotherapy practice.
NZ Journal of physiotherapy 14(1):13-14, 1986.

See also

NRL report 1986/4

High dose dosimetry methods with special reference to the perspex HX system.

NRL report 1987/1

The malignancy significant dose from external beam radiotherapy.

Coppell R B

Coppell R B

Artificial UV sources in perspective.

In UV radiation and its effects : proceedings of the National Science Strategy Climate Change Workshop, International Antarctic Centre, Christchurch 20-21 May 1993. Miscellaneous series / The Royal Society of New Zealand ; 25. p. 13-14.

Coppell R B

Electromagnetic exposure of diathermy equipment operators: abstract.

In Abstracts of papers presented at the Annual ACPSM (NZ Branch) Conference, Hamilton, New Zealand, 1987. p. 8-9.

Coppell R B

Survey of stray electromagnetic emissions from microwave and shortwave diathermy equipment.

NZ journal of physiotherapy 16(3):9-12, 14, 1988.

See also

NRL report 1987/3

Survey of exposure of physiotherapist operators to emissions from microwave and short wave diathermy equipment.

NRL report 1990/7

Survey of stray fields to which high frequency welder operators are exposed in the New Zealand plastics industry.

NRL report 1992/2

Survey of stray fields generated by radiofrequency heating and drying plant.

NRL Report 1992/4

Microwave ovens survey 1992 and compliance with the Microwave Ovens Regulations.

Crane, L-B

See

Keep L-B

Foote B J

Foote B J and Smyth V G

The modelling of electron multiple scattering in EGS4/PRESTA and its effect on ionization chamber response.

Nuclear instruments and methods in physics research B100:22-30, 1995.

See also

Smyth V G and Foote B J

Irradiations provided by the National Radiation Laboratory, NZ.

In *IAEA/RCA Personal Dosimeter Intercomparison* (2nd : 1997 December 1-5 : Mumbai, India). 3 p.

NRL report 1996/9

Electron displacement in the theory of multiple scattering.

Gledhill M D

Gledhill M

Comments on “Effects of 60 Hz electric and magnetic fields on the development of the rat cerebellum” by Gona et al. [letter].

Bioelectromagnetics 16:143-144, 1995.

Gledhill M

Comments on “Sleep-inducing effect of low energy emission therapy” by Reite et al. [letter].

Bioelectromagnetics 16:339-340, 1995.

Gledhill M

Communicating radiation.

New Zealand science monthly 6(5):6-7, June 1995.

Gledhill M

Magnetic fields: more questions than answers.

Safeguard no. 37:29, May/June 1996.

Gledhill M

Radiation exposure [letter].

Soil & health 53:44, April/May 1994.

Gledhill M

UV protection standards.

In *UV radiation and its effects* : an update. Wellington : Royal Society of New Zealand, 1998. p. 43-44.

See also

NRL report 1992/1

Electric and magnetic field levels around Christchurch.

NRL report 1992/4

Microwave ovens survey 1992 and compliance with the Microwave Ovens Regulations.

NRL report 1996/4

Survey of physiotherapy ultrasound equipment calibrations.

NRL Report 1996/5

Magnetic resonance imaging safety guidelines.

Gray M J

Gray M J and Matthews K M

The assessment of environmental chemicals.

In Asia-Pacific Congress on Occupational Health and Safety (1986 Nov. 17-20 : Massey University). Health, safety and productivity: partners in progress towards 2000: congress papers 1987. Paper 52, 14 p.

See also

NRL report 1988/4

Analytical and occupational health aspects of thermal degradation products of plastics.

NRL report 1988/5

Applications of a modified polycyclic aromatic hydrocarbon sampling analysis method to air monitoring at a clay target factory.

Hargrave N J, Smyth V G, Allen P D and Huntley R B

Intercomparison of the national exposure standards of New Zealand and Australia. *Australian physical and engineering sciences in medicine* 16:174-178, 1993.

Hart D and Le Heron J C

The distribution of medical x-ray doses amongst individuals in the British population.

British journal of radiology 65:996-1002, 1992.

Harvey M J and Matthews K M

⁷Be deposition in a high-rainfall area of New Zealand. *Journal of atmospheric chemistry* 8:299-306, 1989.

Heggie JCP, Williamson BDP, McLean I D, Van Doorn T, Cormack J, Causer D A and Collins L T

A quality assurance programme for mass screening in mammography : ACPSEM position paper.

Australasian physical and engineering sciences in medicine 12(4):252-259, 1989.

Keep L-B

See

NRL report 1998/1

Measurement of radiofrequency emissions around the Sugar Loaf broadcasting antenna, Port Hills.

Laban John

See

NRL report 1996/8

Correcting measured x-ray spectra for the effects of pulse pile-up and the detector response function.

NRL report 1999/1

Survey of the use of nuclear medicine in New Zealand.

Larkin R M

See

Matthews K M and Larkin R M

Radioactive ingrowth in a natural decay series.
Journal of chemical education 67(5):374-375, 1990.

Matthews K M, and Larkin R M

The use of radium-226 in calibrating HpGe detectors.
Journal of radioanalytical and nuclear chemistry letters 145(4):321-324, 1990.

NRL report 1988/8

Recommended methods of disposal of tannery wastes.

NRL report 1990/2

A review of basic chemical methods for the analysis of milk for ⁹⁰Sr.

Le Heron J C

Le Heron J C

Age as a factor in assessing risks to patients from the use of x-rays.
In IRPA9 : International Congress on Radiation Protection, 14-19 April, 1996.
Proceedings v 3:401-3.

Le Heron J C

Effective dose in diagnostic radiology [letter].
Journal of radiological protection 12:111-114, 1992.

Le Heron J C

Estimation of effective dose to the patient during medical x-ray examinations from measurements of the dose-area product.
Physics in medicine and biology 37:2117-2126, 1992.

Le Heron J C

Implementation of the BSS in industry, medicine and research.
In IAEA/RCA Regional Training Course on Implementation of the IAEA Basic Safety Standards (1996 November 18-29 : Mumbai, India). p. 222-229.

Le Heron J C

Remaining problems with effective dose?
Physics in medicine and biology 37:1012-1015, 1992.

Le Heron J C

Use of x-rays in medical diagnosis [letter].
New Zealand medical journal 107(987):410, 12 October 1994.

Le Heron J C and Poletti J L

Measurement of x-ray image intensifier sharpness in the x-ray department.
Physics in medicine and biology 33:93-104, 1988.

Le Heron J C and Poletti J

Reference doses for patients in diagnostic radiology.
Radiation protection in Australia 12(2):45-49, 1994.

See also

Hart D and Le Heron J C

The distribution of medical x-ray doses amongst individuals in the British population.
British journal of radiology 65:996-1002, 1992.

McEwan A C and Le Heron J C

Lifetime risks of leukemia and cancer from diagnostic x rays [letter].
Health physics 66(5):585-6, 1994.

Poletti J L and Le Heron J C

Performance assessment of x-ray image intensified television fluoroscopy systems in New Zealand.
British journal of radiology 61:393-400, 1988.

Williamson Brian D P and Le Heron J C

Radiographic quality and radiation protection in general medical practice and small hospitals.
New Zealand medical journal 102(863):104-7, 1989.

McEwan A C, Le Heron J C and Poletti J L

Risk of cancer and leukemia from diagnostic x-rays in New Zealand.
Radiation protection in Australia 12(2):39-44, 1994.

Oresegun M, Le Heron J, Maccia C, Padovani R and Vano E

Radiation protection and quality assurance in diagnostic radiology – an IAEA coordinated research project in Asia and Eastern Europe.
Applied radiation and isotopes 50:271-276, 1999.

Shrimpton P C, Jones D G, Hillier M C, Wall B F, Le Heron J C and Faulkner K

Survey of CT practice in the UK : Part 2: Dosimetric aspects. Chilton, Oxon. : National Radiological Protection Board, 1991.
NRPB-R249.

NRL report 1987/2

Subjective performance assessment of x-ray image intensified television fluoroscopy systems.

NRL report 1988/2

Radiographic quality and radiation protection in general medical practice and small hospitals.

NRL report 1989/1

Variability of medical diagnostic x-ray machine parameters as determined from a national survey.

NRL report 1990/4

Imaging performance and limits of acceptability for x-ray image intensifier systems.

NRL report 1990/5

Half value layer versus total filtration for general diagnostic x-ray beams.

NRL report 1993/1

Radiation doses to patients in medical diagnostic x-ray examinations in New Zealand: a 1983-84 survey.

NRL report 1996/3

Patient doses in chiropractic radiography in New Zealand.

Linsley G and McEwan A C

Potential doses at the atolls : assessing radiation doses attributed to residual radioactive material.
IAEA Bulletin 40(4):38-42, 1998.

McEwan A C

McEwan A C

¹³⁷Cs concentration in southern Chile [letter].
Health physics 66(1):92, 1994.

McEwan A C

Analysis of case studies – mining, milling and discharges.
In Restoration of environments with radioactive residues : papers and discussions : proceedings of an International Symposium held 29 November – 3 December 1999, Arlington, Virginia, USA. Vienna : International Atomic Energy Agency, 2000. p. 609-620.

McEwan A C

Applications for the treatment of food by irradiation and effects of irradiation on food wholesomeness.
In Congress of the Australian and New Zealand Association for the Advancement of Science (56th : 1987 : Massey University). Food irradiation 1987 : proceedings / ed. OJ McCarthy. - Palmerston North : Massey University, 1987. p. 1-12.

McEwan A C

Assessment of occupational exposure in New Zealand from personal monitoring records.
Radiation protection in Australasia 17(2):60-66, 2000.

McEwan A C

Environmental effects of underground nuclear explosions.
In Nuclear weapons tests : prohibition or limitation? / ed. Josef Goldblat and David Cox. - Oxford : Oxford University Press, 1988. p. 74-91.

McEwan A C

Estimation of radiation detriment from radiotherapy.
Radiation protection dosimetry 19:91-96, 1987.

McEwan A C

Estimation of risk from dispersed active plutonium particles at Mururoa.
Radiation protection in Australasia 16(1):15-19, 1999.

McEwan A C

Exposure-to-dose conversion factors derived by Weatherburn.
Radiation protection dosimetry 14(3):265-266, 1986.

McEwan A C

Exposures to ionising radiations in New Zealand.
New Zealand public health report 6(11/12):81-84, 1999.

McEwan A C

Health physics aspects of nuclear issues in New Zealand over the last decade.
Australasian physical and engineering sciences in medicine 9(2):77-81, 1986.

McEwan A C

Is cosmic radiation exposure of air crew amenable to control?
Radiation protection in Australasia 16(3):21-25, 1999.

McEwan A C

Occupational radiation exposure in New Zealand.
Radiation protection dosimetry 22:243-251, 1988.

McEwan A C

Principles and criteria for restoration of environments with elevated radioactivity concentrations.
Radiation protection in Australasia 16(3):31-35, 1999.

McEwan A C

Radiation produced free radicals: [letter].
NZ science monthly 10(7):2, 1999.

McEwan A C

Radiation protection: occupational exposure [letter].
The radiographer 38(1):27, 1991.

McEwan A C

Radiation protection for health care workers [letter].
New Zealand medical journal 113(1123):524-5, 8 December 2000.

McEwan A C

Radiation protection aspects of the design and operation of irradiation processing facilities.
In Congress of the Australian and New Zealand Association for the Advancement of Science (56th : 1987 : Massey University). Food irradiation 1987 : proceedings / ed. OJ McCarthy. - Palmerston North : Massey University, 1987. p. 13-23.

McEwan A C

Radiation protection policy in situations of scientific uncertainty.
Radiation protection in Australia 17(2):97-98, 2000.

McEwan A C

Radiation rules.
Safe NZ science 98/06:1-4, 1998.

McEwan A C

Radiological criteria for restoration of land.
In Low doses of ionizing radiation : biological effects and regulatory control : proceedings of an International Conference held 17-21 November 1997, Seville. Vienna : International Atomic Energy Agency, 1998. p. 319-330.

McEwan A C

Remediation and rehabilitation programmes in the Marshall Islands.

In Restoration of environments with radioactive residues : papers and discussions : proceedings of an International Symposium held 29 November – 3 December 1999, Arlington, Virginia, USA. Vienna : International Atomic Energy Agency, 2000. p. 311-319.

McEwan A C

Report on the potential for radiation induced genetic effects in children of Christmas Island veterans: report to the Advisory Committee on the Health of Veterans' Children.

In Inquiry into the health status of children of Vietnam and Operation Grapple veterans. Advisory Committee on the Health of Veterans' Children, Dept. of the Prime Minister and Cabinet, Wellington, June 1999. Appendix 3. 8 p.

McEwan A C

The system of controls on radiation sources in a small non-nuclear country, with selected radiation incidents and their prevention or control by regulatory or other means.

In International Symposium on Radiation Protection Infrastructure (1990 May 7-11 : Vienna). Radiation protection infrastructure : proceedings. - Vienna : International Atomic Energy Agency, 1990. p. 365-374.

McEwan A C and Le Heron J C

Lifetime risks of leukemia and cancer from diagnostic x rays [letter].
Health physics 66(5):585-6, 1994.

McEwan A C and Matthews K M

Radon in water: a new environmental issue?
Water and wastes in NZ newsletter no 69:12, 14-16, 1992.

McEwan A C and Smyth V G

The effect of scattered radiation in ⁶⁰Co beams on wall correction factors for ionization chambers.
Medical physics 13(1): 17-118, 1986.

McEwan A C, Le Heron J C and Poletti J L

Risk of cancer and leukemia from diagnostic x-rays in New Zealand.
Radiation protection in Australia 12(2):39-44, 1994.

McEwan A C, Simon S L, Baverstock K F, Trott K-R, Sankaranarayanan K and Paretzke H G

Some reflections on the role of the Scientific Advisory Panel to the Marshall Islands Nationwide Radiological Study.
Health physics 73(1):265-269, 1997.

See also

Linsley G and McEwan A C

Potential doses at the atolls : assessing radiation doses attributed to residual radioactive material.

IAEA Bulletin 40(4):38-42, 1998.

Smyth V G and McEwan A C

Interface artefacts on Monte Carlo calculations [letter].

Physics in medicine and biology 31(3):299-302, 1986.

NRL report 1987/1

The malignancy significant dose from external beam radiotherapy.

Matthews K M

Matthews K M

Beryllium-7 and lead-210 deposition in New Zealand.

In SPERA98 : radioactivity and the environment : proceedings. Christchurch, 1998.
7 p.

Matthews K M

The Chernobyl incident and its downstream effects.

In Asia-Pacific Congress on Occupational Health and Safety (1986 Nov. 17-20 : Massey University). Health, safety and productivity : partners in progress towards 2000 : congress papers. 1987. Paper 64, 20 p.

Matthews K M

Measurements of residual traces of ¹³⁷Cs in the atmosphere in NZ.

Journal of environmental radioactivity 27:221-229, 1995.

Matthews K M

Radon in drinking-water: risks and remedies.

Water and wastes in NZ. March 1996.

Matthews K M

Recent observations of atmospheric radioactivity in New Zealand and Rarotonga.

In SPERA96 : radioactivity in the environment : proceedings. Darwin, 1997.
p. 72-87.

Matthews K M and Larkin R M

Radioactive ingrowth in a natural decay series.

Journal of chemical education 67(5):374-375, 1990.

Matthews K M and Larkin R M

The use of radium-226 in calibrating HpGe detectors.

Journal of radioanalytical and nuclear chemistry letters 145(4):321-324, 1990.

See also

Basher L R and Matthews K M

Relationship between ^{137}Cs in some undisturbed New Zealand soils and rainfall.

Australian journal of soil research 31:655-663, 1993.

Gray M J and Matthews K M

The assessment of environmental chemicals.

In Asia-Pacific Congress on Occupational Health and Safety

(1986 Nov. 17-20: Massey University). Health, safety and productivity: partners in progress towards 2000: congress papers 1987 Paper 52, 14 p.

Harvey M J and Matthews K M

^7Be deposition in a high-rainfall area of New Zealand.

Journal of atmospheric chemistry 8:299-306, 1989.

McEwan A C and Matthews K M

Radon in water: a new environmental issue?

Water and wastes in NZ newsletter no 69:12, 14-16, 1992.

Basher L R, Matthews K M and Zhi L

Surface erosion assessment in the South Canterbury Downlands, New Zealand using ^{137}Cs distribution.

Australian journal of soil research 33:787-803, 1995.

NRL report 1988/7

The natural radioactivity of New Zealand coals.

NRL report 1988/9

Huntly Power Station : an assessment of the radiological significance of atmospheric discharges during coal-fired operations.

NRL report 1989/2

Radioactive fallout in the South Pacific : a history. Part 1. Deposition in New Zealand.

NRL report 1990/2

A review of basic chemical methods for the analysis of milk for ^{90}Sr .

NRL report 1992/3

Radioactive fallout in the South Pacific : a history. Part 2. Radioactivity measurements in the Pacific Islands.

NRL report 1993/4

Radioactive fallout in the South Pacific : a history. Part 3. Strontium-90 and caesium-137 deposition in NZ and resulting contamination of milk.

Okey M-J

See

NRL report 1988/7

The natural radioactivity of New Zealand coals.

Oresegun M, Le Heron J, Maccia C, Padovani R and Vano E

Radiation protection and quality assurance in diagnostic radiology – an IAEA coordinated research project in Asia and Eastern Europe.

Applied radiation and isotopes 50:271-276, 1999.

Poletti J L

Poletti J L

Mammography compression force in New Zealand.

Australasian physical and engineering sciences in medicine 17(2):88-90, 1994.

Poletti J L

Patient doses from CT in New Zealand and a simple method for estimating effective dose.

British journal of radiology 69:432-436, 1996.

Poletti J L

Performance assessment of CT scanners.

Australasian physical and engineering sciences in medicine 9(4):168-172, 1986.

Poletti J L

Radiation injury to skin following a cardiac interventional procedure [letter].

Australasian radiology 41:82-3, 1997.

Poletti J L

X-ray output and video waveforms in diagnostic radiology : abstract.

In Abstracts of papers presented at the Annual ACPSM (NZ Branch) Conference, Hamilton, New Zealand. 1987. p. 19-20.

Poletti J L and Le Heron J C

Performance assessment of x-ray image intensified television fluoroscopy systems in New Zealand.

British journal of radiology 61:393-400, 1988.

Poletti J L, Williamson BDP and Mitchell A W

Mammography in New Zealand: radiation dose and image quality.

Australasian physical and engineering sciences in medicine 14(2):97-102, 1991.

See also

Le Heron J C and Poletti J L

Measurement of x-ray image intensifier sharpness in the x-ray department.
Physics in medicine and biology 33:93-104, 1988.

Le Heron J C and Poletti J

Reference doses for patients in diagnostic radiology.
Radiation protection in Australia 12(2):45-49, 1994.

McEwan A C, Le Heron J C and Poletti J L

Risk of cancer and leukemia from diagnostic x-rays in New Zealand.
Radiation protection in Australia 12(2):39-44, 1994.

NRL report 1987/2

Subjective performance assessment of x-ray image intensified television fluoroscopy systems.

NRL report 1988/1

Radiation dose and image quality of CT scanners : summary of NRL surveys 1980-1987.

NRL report 1990/1

Radiation doses and some aspects of image quality in mammography facilities in New Zealand.

NRL report 1990/4

Imaging performance and limits of acceptability for x-ray image intensifier systems.

NRL report 1992/5

Doses to patients from CT scanning in New Zealand.

NRL report 1993/1

Radiation doses to patients in medical diagnostic x-ray examinations in New Zealand a 1983-84 survey.

NRL report 1994/2

Factors affecting patient dose in diagnostic radiology.

NRL report 1995/1

Guidelines for quality assurance in radiation protection for diagnostic x-ray facilities: large x-ray facilities.

NRL report 1996/6

Guidelines for quality assurance in radiation protection for diagnostic x-ray facilities: limited x-ray facilities.

NRL report 1996/7

Guidelines for quality assurance in radiation protection for diagnostic x-ray facilities: small x-ray facilities.

Randle M W

Randle M W, Tucker L J and Robertson M K

A cheap, sensitive and practical detector for radon.
Radiation protection in Australia 4(4):119-122, 1986.

Randle M W, Tucker L J, and Robertson M K

Tuffak, a practical nuclear track radon detector.
Radiation protection dosimetry 19:29-33, 1987.

See also

NRL report 1986/3

Natural radiation measurements : Christchurch pilot survey.

NRL report 1988/6

Natural radiation in New Zealand houses.

NRL report 1990/3

Natural radiation in New Zealand houses - Reefton district. (Supplement to NRL 1988/6).

NRL report 1993/3

Retrospective radon measurements - lead-210 in glass.

NRL report 2000/1

Radon studies in selected workplaces.

Robertson M K

Robertson M K

Disposal of radioactive wastes.
Waste observer no. 5:7-8, 1990.

Robertson M K

Domestic smoke detectors - a safe investment.
NZ physicist March:44-48, 1990.

Robertson M K

The radon puzzle.
New Zealand science monthly 5(8):10-11, 1994.

See also

Randle M W, Tucker L J and Robertson M K

A cheap, sensitive and practical detector for radon.
Radiation protection in Australia 4(4):119-122, 1986.

Randle M W, Tucker L J, and Robertson M K

Tuffak, a practical nuclear track radon detector.
Radiation protection dosimetry 19:29-33, 1987.

NRL report 1986/3

Natural radiation measurements : Christchurch pilot survey.

NRL report 1988/6

Natural radiation in New Zealand houses.

NRL report 1990/3

Natural radiation in New Zealand houses - Reefton district. (Supplement to NRL 1988/6).

NRL report 1993/3

Retrospective radon measurements - lead-210 in glass.

NRL report 1996/1

Limiting activities for radionuclides.

NRL report 1996/2

Radioactive waste disposal - policies and practices in New Zealand.

Ryan U C

See

NRL report 1986/2

National Radiation Laboratory : bibliography of publications.

NRL report 1991/2

National Radiation Laboratory bibliography of publications supplement 1986-1990.

Shrimpton PC, Jones DG, Hillier MC, Wall BF, Le Heron J C and Faulkner K

Survey of CT practice in the UK : Part 2: Dosimetric aspects. Chilton, Oxon. : National Radiological Protection Board, 1991.
NRPB-R249.

Smyth V G

Smyth V G

Interface effects in the Monte Carlo simulation of electron tracks.
Medical physics 13(2):196-200, 1986.

Smyth V G and Foote B J

Irradiations provided by the National Radiation Laboratory, NZ.
In IAEA/RCA Personal Dosimeter Intercomparison (2nd : 1997 December 1-5 :
Mumbai, India). 3 p.

Smyth V G and McEwan A C

Interface artefacts in Monte Carlo calculations [letter].
Physics in medicine and biology 31(3):299-302, 1986.

See also

Foote B J and Smyth V G

The modelling of electron multiple scattering in EGS4/PRESTA and its effect
on ionization chamber response.
Nuclear instruments and methods in physics research B100:22-30, 1995.

McEwan A C and Smyth V G

The effect of scattered radiation in ^{60}Co beams on wall correction factors for
ionization chambers.
Medical physics 13(1):117-118, 1986.

Hargrave N J, Smyth V G, Allen P D and Huntley R B

Intercomparison of the national exposure standards of New Zealand and
Australia.
Australian physical and engineering sciences in medicine 16:174-178, 1993.

NRL report 1994/1

Audit of high energy therapy beams in hospital oncology departments by the
National Radiation Laboratory.

NRL report 1996/9

Electron displacement in the theory of multiple scattering.

NRL report 1999/1

Survey of the use of nuclear medicine in New Zealand.

Stewart P I

See

NRL report 1986/1

The natural radioactivity of some New Zealand rocks.

NRL report 1986/1 Supplement

The natural radioactivity of a selection of phosphate rocks.

NRL report 1990/3

Natural radiation in New Zealand houses - Reefton district. (Supplement to NRL 1988/6).

Stirling D G

See

NRL report 1996/3

Patient doses in chiropractic radiography in New Zealand.

Tucker L J

See

Randle M W, Tucker L J and Robertson M K

A cheap, sensitive and practical detector for radon.

Radiation protection in Australia 4(4):119-122, 1986.

Randle M W, Tucker L J and Robertson M K

Tuffak, a practical nuclear track radon detector.

Radiation protection dosimetry 19:29-33, 1987.

NRL report 1986/3

Natural radiation measurements : Christchurch pilot survey.

NRL report 1988/6

Natural radiation in New Zealand houses.

Williamson B D P

Williamson Brian D P and Le Heron J C

Radiographic quality and radiation protection in general medical practice and small hospitals.

New Zealand medical journal 102(863):104-7, 1989.

Williamson B D P and van Doorn T

The efficacy of K-edge filters in diagnostic radiology.

Australasian physical and engineering sciences in medicine 17:162-174, 1994.

See also

Poletti J L, Williamson B D P and Mitchell A W

Mammography in New Zealand: radiation dose and image quality.
Australasian physical and engineering sciences in medicine 14(2):97-102,
1991.

**Heggie J C P, Williamson B D P, McLean I D, Van Doorn T,
Cormack J, Causer D A and Collins LT**

A quality assurance programme for mass screening in mammography:
ACPSEM position paper.
Australasian physical and engineering sciences in medicine 12(4):252-259,
1989.

NRL report 1988/2

Radiographic quality and radiation protection in general medical practice and
small hospitals.

NRL report 1990/1

Radiation doses and some aspects of image quality in mammography
facilities in New Zealand.

NRL report 1990/6

Radiation doses to patients from dental radiography in New Zealand.

NRL report 1991/1

Review of the results of routine radiation protection surveys of radiography-
only diagnostic x-ray machines, February 1987-May 1991.

NRL report 1993/1

Radiation doses to patients in medical diagnostic x-ray examinations in New
Zealand: a 1983-84 survey.

NRL report 1993/2

Measurements of radiographic contrast and radiation dose with erbium K-
edge filters in a simulation of a common radiographic technique.

Yeabsley A

Yeabsley A

IAEA RCA personal dosimetry intercomparison : country report - New Zealand.
In *IAEA/RCA Personal Dosimeter Intercomparison* (2nd : 1997 December 1-5 :
Mumbai, India). 3 p.

NRL reports

- 1986/1 **Stewart P I**
The natural radioactivity of some New Zealand rocks.
- 1986/1 **Stewart P I**
(suppl.) The natural radioactivity of a selection of phosphate rocks.
- 1986/2 **Ryan U C**
National Radiation Laboratory : bibliography of publications.
- 1986/3 **Robertson M K, Randle M W and Tucker L J**
Natural radiation measurements : Christchurch pilot survey.
- 1986/4 **Chapman R H**
High dose dosimetry methods with special reference to the perspex HX system.
- 1987/1 **McEwan A C and Chapman R H**
The malignancy significant dose from external beam radiotherapy.
- 1987/2 **Poletti J L and Le Heron J C**
Subjective performance assessment of x-ray image intensified television fluoroscopy systems.
- 1987/3 **Coppell R B**
Survey of exposure of physiotherapist operators to emissions from microwave and short wave diathermy equipment.
- 1988/1 **Poletti J L**
Radiation dose and image quality of CT scanners : summary of NRL surveys 1980-1987.
- 1988/2 **Williamson B D P and Le Heron J C**
Radiographic quality and radiation protection in general medical practice and small hospitals.
- 1988/4 **Gray M J**
Analytical and occupational health aspects of thermal degradation products of plastics.
- 1988/5 **Gray M J and Megget S**
Applications of a modified polycyclic aromatic hydrocarbon sampling analysis method to air monitoring at a clay target factory.

- 1988/6 **Robertson M K, Randle M W and Tucker L J**
Natural radiation in New Zealand houses.
- 1988/7 **Matthews K M and Okey M-J**
The natural radioactivity of New Zealand coals.
- 1988/8 **Budhia D M, Larkin R M, and Mason I**
Recommended methods for disposal of tannery wastes.
- 1988/9 **Matthews K M**
Huntly Power Station : an assessment of the radiological significance of atmospheric discharge during coal-fired operations.
- 1989/1 **Le Heron J C**
Variability of medical diagnostic x-ray machine parameters as determined from a national survey.
- 1989/2 **Matthews K M**
Radioactive fallout in the South Pacific: a history. Part 1. Deposition in New Zealand.
- 1990/1 **Williamson B D P and Poletti J L**
Radiation doses and some aspects of image quality in mammography facilities in New Zealand.
- 1990/2 **Larkin R M and Matthews K M**
A review of basic chemical methods for the analysis of milk for ⁹⁰Sr.
- 1990/3 **Robertson M K, Randle M W and Stewart P I**
Natural radiation in New Zealand houses - Reefton district. (Supplement to NRL 1988/6).
- 1990/4 **Le Heron J C and Poletti J L**
Imaging performance and limits of acceptability for x-ray image intensifier systems.
- 1990/5 **Le Heron J C**
Half value layer versus total filtration for general diagnostic x-ray beams.
- 1990/6 **Williamson B D P**
Radiation doses to patients from dental radiography in New Zealand.
- 1990/7 **Coppell R B**
Survey of stray fields to which high frequency welder operators are exposed in the New Zealand plastics industry.
- 1991/1 **Williamson B D P**
Review of the results of routine radiation protection surveys of radiography-only diagnostic x-ray machines, February 1987- May 1991.

- 1991/2 **Ryan U C**
National Radiation Laboratory bibliography of publications supplement 1986-1990.
- 1992/1 **Gledhill M D**
Electric and magnetic field levels around Christchurch.
- 1992/2 **Coppell R B**
Survey of stray fields generated by radiofrequency heating and drying plant.
- 1992/3 **Matthews K M**
Radioactive fallout in the South Pacific : a history. Part 2: Radioactivity measurements in the Pacific Islands.
- 1992/4 **Coppell R B and Gledhill M D**
Microwave ovens survey 1992 and compliance with the Microwave Ovens Regulations.
- 1992/5 **Poletti J L**
Doses to patients from CT scanning in New Zealand.
- 1993/1 **Williamson B D P, Poletti J L, Cartwright P H and Le Heron J C**
Radiation doses to patients in medical diagnostic x-ray examinations in New Zealand: a 1983-84 survey.
- 1993/2 **Williamson B D P**
Measurements of radiographic contrast and radiation dose with erbium K-edge filters in a simulation of a common radiographic technique.
- 1993/3 **Robertson M and Randle W**
Retrospective radon measurements – lead-210 in glass.
- 1993/4 **Matthews K M**
Radioactive fallout in the South Pacific: a history. Part 3: Strontium-90 and caesium-137 deposition in NZ and resulting contamination of milk.
- 1994/1 **Smyth V G**
Audit of high energy therapy beams in hospital oncology departments by the National Radiation Laboratory.
- 1994/2 **Poletti J L**
Factors affecting patient dose in diagnostic radiology.
- 1995/1 **Poletti J L**
Guidelines for quality assurance in radiation protection for diagnostic x-ray facilities: large x-ray facilities.

- 1996/1 **Robertson M K**
Limiting activities for radionuclides.
- 1996/2 **Robertson M K**
Radioactive waste disposal - policies and practices in New Zealand.
- 1996/3 **Cartwright P H, Stirling D G and Le Heron J C**
Patient doses in chiropractic radiography in New Zealand.
- 1996/4 **Gledhill M**
Survey of physiotherapy ultrasound equipment calibrations.
- 1996/5 **Feast R, Gledhill M, Hurrell M and Tremewan R**
Magnetic resonance imaging safety guidelines.
- 1996/6 **Poletti J L**
Guidelines for quality assurance in radiation protection for diagnostic x-ray facilities: limited x-ray facilities.
- 1996/7 **Poletti J L**
Guidelines for quality assurance in radiation protection for diagnostic x-ray facilities: small x-ray facilities.
- 1996/8 **Laban John**
Correcting measured x-ray spectra for the effects of pulse pile-up and the detector response function.
- 1996/9 **Foote B J and Smyth V G**
Electron displacement in the theory of multiple scattering.
- 1998/1 **Keep L-B**
Measurement of radiofrequency emissions around the Sugar Loaf broadcasting antenna, Port Hills.
- 1999/1 **Laban J A and Smyth V G**
Survey of the use of nuclear medicine in New Zealand.
- 2000/1 **Randle M W**
Radon studies in selected workplaces.

Codes of safe practice

For the sake of completeness, all Codes current in 2000 have been included. All except NRL C8 were written or revised during the period 1986 – 2000.

- NRL C1 Code of safe practice for use of unsealed radioactive material. 1996.
- NRL C2 Code of safe practice for the use of sealed radioactive materials in industry. 1989, 1997.
- NRL C3 Code of safe practice for the use of unsealed radioactive materials in medical diagnosis, therapy, and research. 1994.
- NRL C5 Code of safe practice for the use of x-rays in medical diagnosis. 1994.
- NRL C6 Code of safe practice for the use of x-rays in diagnosis (chiropractic). 1986.
Replaced by Code of safe practice for the use of x-rays in chiropractic diagnosis. 1997.
- NRL C7 Code of safe practice for the use of x-rays in dentistry. 1991.
- NRL C8 Code of safe practice for the use of x-rays in diagnosis (veterinary). 1984.
- NRL C9 Code of safe practice for the use of x-rays and radioactive material in industrial radiography. 1987, 1997.
- NRL C10 Code of safe practice for the use of x-rays in podiatry. 1990.
- NRL C11 Code of safe practice for the treatment of cats for thyroid disorders with iodine-131. 1991, 1997.
- NRL C12 Code of safe practice for the use of irradiating apparatus in medical therapy. 1992.
- NRL C13 Code of safe practice for the use of strontium-90 ophthalmic applicators. 1997.
- NRL C15 Code of safe practice for the use of nuclear density meters. 2000.

Guidance notes

- NRL GN Guidance notes: safe practice for the use of nuclear density meters. 2000.

Environmental radioactivity: annual reports

NRL-F/65	Environmental radioactivity : annual report 1985.
NRL-F/66	Environmental radioactivity : annual report 1986.
NRL-F/67	Environmental radioactivity : annual report 1987.
NRL-F/68	Environmental radioactivity : annual report 1988.
NRL-F/69	Environmental radioactivity : annual report 1989.
NRL-F/70	Environmental radioactivity : annual report 1990.
NRL-F/71	Environmental radioactivity : annual report 1991.
NRL-F/72	Environmental radioactivity : annual report 1992.
NRL-F/73	Environmental radioactivity : annual report 1993.
NRL-F/74	Environmental radioactivity : annual report 1994.
NRL-F/75	Environmental radioactivity in New Zealand and Rarotonga : annual report 1995.
NRL-F/76	Environmental radioactivity in New Zealand and Rarotonga : annual report 1996.
NRL-F/77	Environmental radioactivity in New Zealand and Rarotonga : annual report 1997.
NRL-F/78	Environmental radioactivity in New Zealand and Rarotonga : annual report 1998.
NRL-F/79	Environmental radioactivity in New Zealand and Rarotonga : annual report 1999.
NRL-F/80	Environmental radioactivity in New Zealand and Rarotonga : annual report 2000.

Information sheets

- IS 1 National Radiation Laboratory - its role and functions. 1984, revised 1990.
Superseded by National Radiation Laboratory: protecting public and occupational health. Pamphlet.
- IS 5 Sources, effects and risks of ionizing radiation. 1984, revised 1998.
- IS 8 Domestic ionization chamber smoke detectors. 1987.
Replaced by Domestic smoke alarms. 1998.
- IS 10 Ultraviolet radiation. 1985, revised 1999.
- IS 13 Infrared radiation. 1984, revised 1999.
- IS 14 Health effects of microwave and radiofrequency radiations. 1984, revised 1990.
- IS 15 Use and hazards of microwave ovens. 1985.
Replaced by Safety of microwave ovens. 1998.
- IS 17 Visual display units (VDUs) and radiation. 1991.
Replaced by Emissions from visual display units (VDUs). revised 1992, 1995, 1998.
- IS 18 Radiofrequency waves from cellular phone base stations and microwave communications antennae. 1993, revised 1999.
- IS 19 The exposure of New Zealand aircrew to cosmic radiation. 1995, revised 1998.
- IS 20 Laser safety. 1998.
- IS 21 Safety of cellphones. 1998, revised 1999, 2000.
- IS 22 The UV index and public perception. 1998.
- IS 23 Computer display (VDU) interference from power cable magnetic fields. 1999.
- IS 24 Safe use of laser pointers. 2000.
- IS 25 General guidance on shielding requirements for medical x-ray diagnostic rooms. 2001.
- IS 26 Death of a patient treated with radioactive material. 2001.

Radiation protection news and notes

Quarterly

No. 1 January 1988 – no. 48 October 1999.

The Source

Quarterly

Issue 1-4 March-December 2000.

Issue 5- March 2001-

NRL Matters

Irregular, no. 1- 1998-

- No. 1 Change in licence fees. November 1998.
- No. 2 Referral of licence renewal applications to the Medical Licensing Advisory Committee. December 1998.
- No. 3 Transport of radioactive materials by road – impact of new Land Transport Rule. April 1999.
- No. 4 Year 2000 and the medical use of radiation. May 1999.
- No. 5 Charge for the disposal of radioactive sources. June 1999.
- No. 6 Licensing of Radiologists under the Radiation Protection Act 1965. September 1999.
- No. 7 Licensing of Cardiologists under the Radiation Protection Act 1965. November 1999.
- No. 8 Selling and buying irradiating apparatus: requirements under the Radiation Protection Act. March 2000.

Other publications

Absorbed dose determination in photon and electron beams : an adaptation of the IAEA international code of practice. 1989.

Cellsites. Booklet. 2001.

Electric and magnetic fields and your health. rev. 1991, 1994, 1996 and 1997. Supplement 1998, 2000.

Replaces Your health and fields from electric lines. 1989.

Guidelines for operators of ultraviolet tanning lamps. 1992, revised 1995.

An important message regarding sunlamps from the Ministry of Health. 1992, revised 1995.

Radiation health handbook. 1993.

Radiation monitoring film service. 1995, 1996, revised 2000.

Radiation protection for dentists and assistants. Pamphlet. 1996.

Radiation protection for veterinarians and assistants. Pamphlet. 1994.

Review for the years 1986-1990. *NRL AR28*.

Review for the years 1991-1995. *Report NRL AR29*.

Software

Le Heron JC

CTDOSE: a user's guide. Software and manual. 1993.

Le Heron JC

XDOSE: a user's guide. Software and manual. 1994.

Le Heron JC

CHILDOSE: a user's guide. Software and manual. 1996.